Commander System Accessories

- Signal lamp adapter
- Keyboard drawer 1HE, 2HE, 3HE
- Laptop tray
- Commander fixing material

Keyboard drawer RTS 1 (1HE)
Built-in drawer for keyboards, IP 65 for the front side
Dimensions: 483 x 44 x 160 mm
for keyboards with maximum dimensions 370 x 140 x 15 mm
Drawer without slope with magnetic latch for installing from the front with front panel (RAL 9006, white aluminium) or for installing from the inside of the enclosure
Related keyboard on request

Order No.	Type
10.99 20 11	Keyboard drawer RTS 1-F (with front panel)
10.99 20 12	Keyboard drawer RTS 1 (without front panel)

fixing stud M6x30

Dimensions (mm)

A	B	C	D	E	F	G
483	44	160	31	421	25	465

Keyboard drawer RTS 2 (2HE)
Built-in drawer for keyboards, IP 65 for the front side
Dimensions: 483 x 88 x 150 mm
for keyboards with maximum dimensions 370 x 140 x 15 mm
Drawer without slope with magnetic latch for installing from the front with front panel (RAL 9006, white aluminium) or for installing from the inside of the enclosure
Related keyboard on request

Order No.	Type
10.99 20 13	Keyboard drawer RTS 2-F (with front panel)
10.99 20 14	Keyboard drawer RTS 2 (without front panel)

fixing holes 7.5 mm

Dimensions (mm)

A	B	C	D	E	F	G
483	88	150	64	421	58	465

Commander System Accessories - Keyboard Drawer

Keyboard drawer RTS 3 (with 20° slope)
Built-in drawer for keyboards, IP 65 for the front side
Dimensions: 483 x 132.5 x 150 mm
for keyboards with maximum dimensions 340 x 170 x 15 mm
Drawer with 20° slope with magnetic latch for installing from the front with front panel (RAL 9006, white aluminium) or for installing from the inside of the enclosure
Related keyboard on request

Order No.	Type
10.99 20 03	Keyboard drawer RTS 3-F (20° slope with front panel)
10.99 20 04	Keyboard drawer 3HE (20° slope without front panel)

fixing holes 7.5 mm

Dimensions (mm)

A	B	C	D	E	F	G
483	132.5	150	61	421	101.5	465

Keyboard drawer RTS 4
Built-in drawer for keyboards, IP 65 for the front side
Dimensions: 560 x 123 x 203 mm
for keyboards with maximum dimensions 465 x 170 x 15 mm
Drawer with magnetic latch
Mouse pad tray can be extended to the right or left
for installing from the front with front panel (RAL 9006, white aluminium)
including plastic Cherry keyboard G85-23100 DE-2 and mouse Cherry M 5450 and integrated USB port

Order No.	Type
10.99 20 08	Keyboard drawer RTS 4-F (with front panel)

fixing holes 7.5 mm

Dimensions (mm)

| A	B	C	D	E	F	G
560	123	203	86	512	103	543

Connection element for suspension systems, control panels and wall cabinets

Adapter signal lamp with M20x1.5mm connection
Order No. **49.00 01 01**

Adapter signal lamp with M22x1.5mm connection
Order No. **49.00 01 02**

**49.00 01 01**   **49.00 01 02**

Connection element for suspension systems, control panels and wall cabinets
Adapter signal lamp with Ø 25mm pipe

Order No. **49.00 01 03** (L = 250mm)
   **49.00 01 04** (L = 150mm)

Commander System Accessories

Laptop tray
for mounting to Commander systems SL 3000 and SL 4000
Retractable bracket with fastening elements
Surface width: 300 mm; maximum length when extended 280 mm

Order No. **20.99 00 10**

300

min.100-max.280

Fixing plates
for mounting components in Commander

Order No.	Type	Dimensions A
20.10 91 01	for SL 4000 profile 2	97
20.10 91 02	for SL 4000 profile 3	157
20.10 91 03	for SL 4000 profile 4	96.3
20.10 91 99	Individual length	

10,5   29   9   Ø 5,5   4,5   4,5   A

Commander grounding plate
Grounding plate installation in Commander SL 4000 (profiles 1 and 4)

Order No. **20.99 00 01**

98   92   4,5   20   3   49   44   5   M8   ø5,5

SS thread injection stud M8x20