

- IP-protected display enclosure up to 55"
- Ready-to-connect large display monitor (LED or LCD technology) including computer module
- Individual design options

Technical Data

Enclosure:

Aluminium profile enclosure with viewing glass, rear panel with service flap

Screen:

32", 40", 46" or 55" industrial monitor in builtin chassis; LED or LCD version Resolution 1920 x 1080 pixel Full HD VGA signal input, DVI, S-Video, composite video

Computer module:

RM 302 computer module for rear panel mounting integrated heat sink CPU i5-450M dual-core

Included in delivery

Execution according to customer requirements: Enclosure including computer, monitor, wiring and ceiling or vertical column mounting

Display 4000

Overview

- Closed design in aluminium profile enclosure, protection class IP 65
- Screwed rear panel with integrated mounting flap for easy serviceability
- Computer module, power supply, socket, cable entry strip and fuse elements mounted on mounting flap
- All connections accessible via suspension system, via cable entry strip
 optional
- Industrial TFT monitor protected by Lexan viewing glass
- Computer modules with core i5TM performance class

Description

Display 4000 series is designed for continuous operation in industrial environments. Robustness, serviceability, durability, ease of use and, last but not least, an attractive price were the primary requirements. The service flap on the rear panel allows easy access to the inner workings. Depending on the design, the cable can be put in from above via support arm, from below via a base or via a cable entry plate on the rear panel.



Rear panel view



Service flap

Display 4000 Request ☐ Order ☐ Please copy, complete and fax: +49 (0)571/5041-	
Contact	Phone Fax E-mail
Display size	32" (Reikotronic TFT 32" type) 40" (Reikotronic TFT 40" type) 46" (Reikotronic TFT 46" type) 55" (Reikotronic TFT 55" type) Other sizes
Display version	LCD
Computer	without computer with built-in computer (Sachs type RM 302 measuring technology)
Enclosure	with rear flap (required for computer and PSU mounting) without rear flap standard colour: profile and corners RAL 7035 special colour (please specify individual RAL colours) Profile RAL Corners RAL
Machining	Machining according to diagram no.: (please enclose)
Connection - suspension system	Side A (above) GTN II Side B (below) GT 60/2 without
Further information	